

PRODUCT

Sterile Microporous Coverall

TECHNICAL DATASHEET

DESCRIPTION

Microporous Coveralls are produced from breathable microporous fabric which provides good fluid and barrier protection. Moreover, water vapour transmission is optimised for these garments for better user comfort. Manufactured and packaged in an ISO certified cleanroom, these garments are individually packed in sealed polyethylene bags.

FEATURES

- Gamma irradiated sterile
- Meets Level I Helmke Drum Cleanliness Classification
- Type 5/6 Coverall
- Durable fabric with excellent breathability and water vapor transmissions
- Significant fluid and particulate barrier
- Soft, cloth-like fabric
- Elastic cuffs & hood, front zipper, and boot cover
- Coverall can be ordered with separate Hoods and Boots or Coverall with integrated Hoods and Boots
- Manufactured and packed in an EN ISO 13485:2016 certified facility
- CE Certified as Category III PPE












PRODUCT CODES

CODE	DESCRIPTION	SIZE	QUANTITY
600-5011	Sterile Coverall	Small	Each
600-5012	Sterile Coverall	Medium	Each
600-5013	Sterile Coverall	Large	Each
600-5014	Sterile Coverall	X Large	Each
600-5015	Sterile Coverall	2X Large	Each

To request a quotation or for more information, please call +44 (0)1473 836205 email info@integritycleanroom.co.uk or visit www.integritycleanroom.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © 2024 Integrity Cleanroom.





DESCRIPTION	CODE	XS	S	М	L	XL	2XL	3XL	4XL	5XL	TOLERANCE
Overall Length	Α	145	152	160	168	173	178	188	198	208	+/-4.00
Torso Length	В	87	89	9	94	97	99	107	117	125	+/-4.00
Zipper Length	С	63	66	71	78	81	84	89	94	99	+/-2.50
Inseam	D	62	64	69	74	76	79	81	84	86	+/-2.50
Chest Width	Е	55	57	61	65	67	70	75	80	85	+/-2.50
Waist Size	F	55	57	61	65	67	70	75	80	85	+/-2.50
Collar Seam to Waist Elastic	G	46	47	48	49.5	52	54.5	57	59.5	62	+/-1.00
Overall Arm Length	Н	167	174	181.5	187	188	193	203.5	213.5	223.5	+/-5.00
Sleeve Length (from underarm seam)	I	56	58.5	61	61	63.5	63.5	66	98.5	71	+/-1.00
Sleeve Width	J	23	24	24	25.5	26.5	26.5	28	29	30.5	+/-1.00
Relaxed Wrist Opening	К	7.6	7.6	7.6	7.6	7.6	76	7.6	7.6	7.6	+/-0.50
Stretched Wrist Opening	L	15.2	15.2	15.2	15.2	15.2	15.2	15.2	15.2	15.2	+/-0.50
Ankle Opening	N	25	25	25	26.5	26.5	27	28	28	28.5	+/-0.50
Hood Height/Stretched Hood Opening	Р	34	34	34	35.5	35.5	35.5	35.5	35.5	36.5	+/-0.50
Hood Width	Q	24	24	24	26.5	26.5	27.5	27.5	27.5	29	+/-0.50
Relaxed Hood Opening	R	19	19	19	20.5	20.5	20.5	20.5	21	21	+/-0.50
Boot Length	S	40.5	40.5	40.5	42	42	43	43	44	44	+/-0.50
Boot Height	Т	13.5	13.5	13.5	14.5	14.5	15.5	15.5	15.5	16	+/-0.50

To request a quotation or for more information, please call +44 (0)1473 836205 email info@integritycleanroom.co.uk or visit www.integritycleanroom.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © 2024 Integrity Cleanroom.



TECHNICAL DATA

SPECIFICATION	TEST METHOD	RESULT		
Basis Weight		60 gsm		
	(EN 14325:2005))			
Tensile Strength/	MD Tensile Strength	56 N		
Elongation	CD Tensile Strength	110 N		
	MD Elongation	101.00%		
	CD Elongation	91.00%		
Puncture Resistance	(EN 1073-2:2003)	11.8 N		
Synthetic Blood Penetration Resistance	(EN 14126:2004)	Pass		
Penetration by Spray	(EN 13034:2009)	Pass		
Electric Surface Resistance	(EN 1149-5:2008)	<109 ohms		
Air Particle Count @≥ 0.5um	(IEST-RP-CC003.4; Helmke Drum)	8 counts/pc		
	(EN368)			
	30% H ₂ SO ₄			
Chemical Resistance	10% NaOH			
	o-Xylene			
	Butan-1-ol			

REPELLENCY	TO LIQUIDS	RESISTANCE TO PENETRATION			
96.90%	Class 3	0.00%	Class 3		
96.40%	Class 3	0.00%	Class 3		
91.50%	Class 2	0.10%	Class 3		
96.60%	Class 3	0.00%	Class 3		

To request a quotation or for more information, please call +44 (0)1473 836205 email info@integritycleanroom.co.uk or visit www.integritycleanroom.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © 2024 Integrity Cleanroom.