

PRODUCT

Integrity Pre-Saturated Tub Wipes

Wipe size200mm x 200mmQuantity200 WipesColourWhiteWeight18gsm +/- 7.5%Wipe materialContinuous filament
Thermo bonded non-woven 100% PPHydrophilic Solution70% Isopropyl alcohol (IPA)Active Ingredients70% Isopropyl alcohol (weight/weight)

AREAS OF USE

Cleaning hard surfaces, machinery, utensils and equipment in potentially sensitive areas.

Ideal for healthcare, clinical and pharmaceutical and electronic production environments.

PACKAGING

- HDPE canister with flip-top lid
- 12 canisters per outer case (230 x 330 x 250mm)
- Weight of carton 8.57kg



FEATURES

- Broad Spectrum Activity
- Low lint wipes
- Suitable for ISO 6 upwards
- Non smear
- Residue free

BENEFITS

- Controlled delivery
- No premixing/waste
- Non-tainting
- Single use
- Portable

To request a quotation or for more information, please call +44 (0)1473 836205 email <u>info@integritycleanroom.com</u> or visit www.integritycleanroom.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information liced or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © Integrity Cleanroom.



DANGER



Highly Flammable Hochentzündlich Hautement inflammable

Reizend

PHYSICAL PROPERTIES	UNIT	TARGET	MIN OR MAX	TEST METHOD	
Basis weight 18 WRP	g	18	± 7.5%	130.1 (05)	
Tensile strength MD	N/5cm	38	>28.5		
Tensile strength CD	N/5cm	22	>16.5	WSP 110.4 (05) Option B Jaw distance 100 mm	
Elongation at 10N	%		±1 Value	Rate of extension 200mm/min	
Elongation MD	%	70	>52	without	
Elongation CD	%	70	>52	pretension	
Absorpitive Capacity	%	450	>330	*WSP10.1 (05)	
Sinking time	Sec	25	>35	10.1 (05)A	
Thickness	mm	0.2	>0.15:<0.30	*WSP 120.6 (05)	
	*WSP 5.0 - 05				

PRODUCT CODE	DESCRIPTION	ASEPTIC	PACK SIZE	COLOUR
600-0012	Integrity Pre-Saturated Tub Wipes	Non-Sterile	200 Wipes	White

To request a quotation or for more information, please call **+44 (0)1473 836205** email **<u>info@integritycleanroom.com</u>** or visit **www.integritycleanroom.co.uk**


IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information liced or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded. © Integrity Cleanroom.

600-0012 - PRE-SATURATED TUB WIPES | 14 MARCH 2024 10:11 AM V1



OPERATING INSTRUCTIONS

Twist lid and break the seal. Pull wipes through hole on lid and screw lid back onto the conatiner



To request a quotation or for more information, please call +44 (0)1473 836205 email <u>info@integritycleanroom.com</u> or visit www.integritycleanroom.co.uk

IMPORTANT: This data sheet and its contents (the "Information") belong to Integrity Cleanroom or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Integrity Cleanroom assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information liced or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Integrity Cleanroom was aware of the possibility of such loss or damage arising) is excluded.