

**InSpec IPA Wipes**

Date: 2018-05-09

Revision No. 4.0

**SECTION 1: Identification of the substance / mixture and of the company / undertaking**

**1. Product Identifier**

**1**

**Trade Name:** InSpec IPA Wipes (all variants and types)

**Product Number:** -

**1.2 Relevant identified uses of the substance or mixture and used advised against**

**Identified Uses:** For professional uses only.

AISE-P314 – Surface disinfectant (manual process).

**Uses advises against:** Uses other than those identified are not recommended.

**1.3 Details of the supplier of the safety data sheet**

Redditch Medical (a division of Entaco Ltd), Unit 90 Heming Rd, Washford, Redditch, B98 0EA, United Kingdom.

**Contact Details**

Redditch Medical (a division of Entaco Ltd),

Unit 90 Heming Rd,

Washford, Redditch,

B98 0EA,

United Kingdom

Telephone number +44 (0) 1527 830940

Regulatory Email: craig.thomas@redditchmedical.com

**1.4 Emergency telephone number**

For medical or environmental emergency only:

Call + 44 (0) 1527 830940 (office hours, UK)

+ 44 (0) 7377 544472 (out-of-office hours, UK)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

The product has been classified and labelled in accordance with Regulation (EC) No 1272/2008.

**Physical hazards:** Flam. Liq. 2 (H225)

**Health hazards:** Eye Irrit. 2 (H319)

STOT SE 3 (H336)

**Environmental hazards:** Not classified.

## 2.2 Label elements



Signal Word: **Danger**

Contains propan-2-ol (isopropyl alcohol)

### Hazard Statements:

- H225 – Highly flammable liquid and vapour.
- H319 – Causes serious eye irritation.
- H336 – May cause drowsiness or dizziness.

### Precautionary Statements:

- P210 – Keep away from heat / sparks / open flames / hot surfaces. – No smoking.
- P233 – Keep container tightly closed.
- P261 – Avoid breathing fume / mist / vapour / spray.
- P264 – Wash hands thoroughly after use.
- P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403 + P235 – Store in a well-ventilated place. Keep cool.

## 2.3 Other hazards

No other hazards known. The product does not contain components which are known to meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

## SECTION 3: Composition / information on ingredients

### 3.1 Substances

The product is a mixture (see sub-section 3.2 of this Safety Data Sheet).

### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification according Regulation (EU) No 1272/2008 (CLP)	Notes	Content (% w/w)
Propan-2-ol	200-661-7	67-63-0	01-2119457558-25-XXXX	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	-	50-75

### Additional information:

For full text of Hazard (H) statements see Section 16.

## Wipe Materials

### POUCH WIPE SPECIFICATION:

FEATURE	SPECIFICATION
Composition	Polyester 45% /Cellulose 55%
Basis Weight	65.93 – 72.87 gsm
Thickness	320 microns
Dry Tensile MD (N/50mm)	199.3 N/m
Dry Tensile CD (N/50mm)	55.4 N/m
Wet Tensile MD (N/50mm)	144.8 N/m
Wet Tensile CD (N/50mm)	41.10 N/m
Absorption Capacity	366-448 %
Absorption Time	2.23-2.73 s

### PREMIUM TUB – WIPE SPECIFICATION:

FEATURE	SPECIFICATION
Composition	Polyester 45% /Cellulose 55%
Basis Weight	45.71 gsm
Thickness	290 microns
Dry Tensile MD (N/50mm)	117.1 N/m
Dry Tensile CD (N/50mm)	32.4 N/m
Wet Tensile MD (N/50mm)	92.6 N/m
Wet Tensile CD (N/50mm)	23.1 N/m
Absorption Capacity	612.16 %
Absorption Time	1.9 s

### STANDARD TUB – WIPE SPECIFICATION:

FEATURE	SPECIFICATION
Composition	Blend of cellulosic and synthetic fibres
Basis Weight	23 gsm
Thickness	125 microns
Dry Tensile MD	715 N/m
Dry Tensile CD	285 N/m
Wet Tensile MD	485 N/m
Wet Tensile CD	200 N/m
Absorption Capacity	390 %
Absorption Time	2.2 s

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove affected person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor / physician if affected person feels unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. Take off immediately contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice / attention.
<b>Eye contact:</b>	If in eyes immediately rinse cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention
<b>Ingestion:</b>	Rinse mouth out with water. Give plenty of water to drink. Get medical advice / attention if affected person feels unwell.
<b>Self-protection of first-aiders:</b>	Consider personal protective equipment as indicated in sub-section 8.2 of this Safety Data Sheet.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Inhalation:</b>	May cause drowsiness or dizziness.
<b>Skin contact:</b>	No known effects or symptoms in normal use.
<b>Eye contact:</b>	Causes severe irritation.
<b>Ingestion:</b>	No known effects or symptoms in normal use.
<b>General Information:</b>	No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11 of this Safety Data Sheet.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing material: Carbon dioxide, dry powder, water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in the event of any fire, wear self-contained breathing apparatus and suitable personal protective equipment including gloves and eye / face protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Take precautionary measures against static discharge. Ventilate the area.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Collect with non-combustible absorbent material (*e.g.* sand, diatomaceous earth, universal binders, sawdust, vermiculite) and place in a suitable container for disposal according to local / national regulations.

#### 6.4 Reference to other sections

For personal protective equipment see sub-section 8.2 of this Safety Data Sheet. For disposal considerations on see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

**Measures to prevent fire:** Keep away from heat, flames, hot surfaces and sparks. Take precautionary measures against static discharge. Do not smoke.

**Measure to protect the environment:** For environmental exposure controls see sub-section 8.2 of this Safety Data Sheet.

**Advice on general occupational hygiene:** Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Redditch Medical. Wash hands before breaks and at the end of the work day. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Store used personal protective equipment separately. Use personal protective equipment as required. Use only with adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Keep container tightly closed and store in cool, well-ventilated place. For conditions to avoid see sub-section 10.4 of this Safety Data Sheet. For incompatible materials see sub-section 10.5.

### 7.3 Specific end use(s)

No additional information.

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Workplace exposure limits:

Air limit values, if available:

Ingredient(s) / Country	Long term exposure limit (8 hour TWA)	Short term exposure limits (STEL)	Reference / Legal Basis
<b>Propan-2-ol</b>			
United Kingdom	400 ppm (999 mg/m <sup>3</sup> )	500 ppm (1250 mg/m <sup>3</sup> )	UK EH40 WEL – Workplace Exposure Limits
Austria	200 ppm (500 mg/m <sup>3</sup> )	500 ppm (1230 mg/m <sup>3</sup> )	MAK / TRK; Austrian OEL Regulation
Belgium	200 ppm (500 mg/m <sup>3</sup> )	400 ppm (1000 mg/m <sup>3</sup> )	VLEP / GWBB
Denmark	200 ppm (490 mg/m <sup>3</sup> )	400 ppm (980 mg/m <sup>3</sup> )	Arbejdstilsynet; Executive Order on Limit Values for Substances and Materials (Denmark)
Finland	200 ppm (500 mg/m <sup>3</sup> )	250 ppm (620 mg/m <sup>3</sup> )*	HTO-arvot 2016, Ministry of Social Affairs and Health (Finland)
France	n/a	400 ppm (980 mg/m <sup>3</sup> )	Restrictive statutory limit values; French Labour code / French Labour Ministry
Germany	200 ppm – AGS (500 mg/m <sup>3</sup> - AGS) / 200 ppm – DFG (500 mg/m <sup>3</sup> – DFG)	400 ppm – AGS (1000 mg/m <sup>3</sup> – AGS)* / 400 ppm – DFG (1000 mg/m <sup>3</sup> – DFG)	DFG; Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area AGS; German Committee on Hazardous Substances
Hungary	500 mg/m <sup>3</sup>	2000 mg/m <sup>3</sup>	Hungarian decree No. 25/2000 (IX.30)
Ireland	200 ppm	400 ppm*	Health and Safety Authority – Code of Practice for the Chemical Agents Regulation (Ireland)
Spain	200 ppm (500 mg/m <sup>3</sup> )	400 ppm (1000 mg/m <sup>3</sup> )	Limit Values Spain, Royal Decree 374/2001

\*15-minute average value / reference period

#### DNEL and PNEC Values

##### Human Exposure

DNEL oral exposure – Consumer (mg/kg bw)

Ingredients	Short term – Local effects	Short term – Systemic effects	Long term – Local effects	Long term – Systemic effects
Propan-2-ol	No data available	No data available	No data available	26

DNEL dermal exposure – Worker (mg/kg bw)

Ingredients	Short term – Local effects	Short term – Systemic effects	Long term – Local effects	Long term – Systemic effects
Propan-2-ol	No data available	No data available	No data available	888

DNEL dermal exposure – Consumer (mg/kg bw)

Ingredients	Short term – Local effects	Short term – Systemic effects	Long term – Local effects	Long term – Systemic effects
Propan-2-ol	No data available	No data available	No data available	319

DNEL inhalation exposure – Worker (mg/m<sup>3</sup>)

Ingredients	Short term – Local effects	Short term – Systemic effects	Long term – Local effects	Long term – Systemic effects
Propan-2-ol	No data available	No data available	No data available	500

DNEL inhalation exposure – Consumer (mg/m<sup>3</sup>)

Ingredients	Short term – Local effects	Short term – Systemic effects	Long term – Local effects	Long term – Systemic effects
Propan-2-ol	No data available	No data available	No data available	89

**Environmental Exposure**

Environmental exposure - PNEC

Ingredients	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
Propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure – PNEC, continued

Ingredients	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
Propan-2-ol	552	552	28	No data available

Biological limits, if available:

Not available.

Recommended monitoring procedures, if available:

Not available.

Additional exposure limits under the conditions of use, if available:

Not available.

**8.2 Exposure controls**

The following information applies for the uses indicated in sub-section 1.2 of this Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Engineering measures:**

Use only outdoors or in well-ventilated areas / provide adequate general and local exhaust. Avoid direct contact and / or splashes where possible. Train personnel.

**Personal Protective Equipment**

**Eye/face protection:**

Safety glasses are not normally required. However, their use is recommended in cases where

	splashes may occur when handling the product.
<b>Respiratory protection:</b>	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
<b>Hand protection:</b>	Wash hands thoroughly after handling. For prolonged contact, protection for the skin may be necessary.
<b>Other skin and body protection:</b>	No special requirements under normal use conditions.
<b>Hygiene measures:</b>	Do not smoke in work area. Wash hands before work breaks, immediately after handling the product, and before eating, smoking and using the toilet. Avoid contact with skin, eyes, and clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. When using, do not eat, drink, or smoke.
<b>Environmental Exposure Controls</b>	
<b>General advice:</b>	Should not reach sewage water or drainage ditch undiluted or unneutralised.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the mixture.

		Method / remark
<b>Physical State:</b>	Liquid.	-
<b>Colour:</b>	Clear, colourless.	-
<b>Odour:</b>	Product specific.	-
<b>pH:</b>	ca. 7	Neat.
<b>Melting point /freezing point:</b>	Not available.	-
<b>Initial boiling point and boiling range:</b>	> 70 °C	-
<b>Flash point:</b>	ca. 19 °C	Closed cup.
<b>Evaporation rate:</b>	Not available.	-
<b>Flammability (solid, gas):</b>	Not available.	-
<b>Upper/lower flammability or explosive limits:</b>	Not available.	-
<b>Vapour pressure:</b>	Not available.	-
<b>Vapour density:</b>	Not available.	-
<b>Relative density:</b>	Not available.	-
<b>Density:</b>	0.88 g/cm <sup>3</sup>	@ 20 °C.
<b>Solubility(ies)</b>	Fully miscible with water.	-
<b>Partition coefficient: n-octanol/water:</b>	Not available.	-
<b>Auto-ignition temperature:</b>	Not available.	-
<b>Decomposition temperature:</b>	Not available.	-
<b>Viscosity:</b>	Not available.	-
<b>Explosive properties:</b>	Not explosive.	Vapours may form explosive mixtures with air.
<b>Oxidising properties:</b>	Not oxidising.	-

The following substance data is provided for ingredients in the mixture / product:

<b>Propan-2-ol</b>		Method / remark
<b>Initial boiling point and boiling range:</b>	82 °C	@ 1013 hPa
<b>Upper/lower flammability or explosive limits:</b>	Lower limit: 2 % volume. Upper limit: 13% volume.	-
<b>Vapour pressure</b>	4200 Pa	@ 20 °C
<b>Solubility(ies)</b>	Soluble in water.	-

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

Take precautionary measures against static discharge. Keep in a cool place. Keep container in a well-ventilated place.

### 10.5 Incompatible materials

None known under normal use conditions.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

No data is available on the mixture / product.

The following substance data is provided for ingredients in the mixture / product:

<b>Propan-2-ol</b>		
<b>Acute toxicity:</b>	LD50 (Oral): 3570 mg/kg	Method – not available. Test species – rat. Exposure time – not available.
	LD50 (Dermal): > 2000 mg/kg	Method – not available. Test species – rabbit. Exposure time – not available.
	LD50 (Inhalation): > 25 mg/l (vapour)	Method – OECD Test Guideline 403 (EU B.2). Test species – rat. Exposure time – 6 hours.
<b>Skin corrosion / irritation:</b>	Not irritant.	Method – OECD Test Guideline 404 (EU B.4). Test species – rabbit.
<b>Serious eye damage / irritation:</b>	Irritant.	Method – OECD Test Guideline 405 (EU B.5). Test species – rabbit.
<b>Respiratory or skin sensitisation:</b>	Skin contact: Not sensitising.	Method – OECD Test Guideline 406 (EU B.6) (Buehler test). Test species – guinea pig.
<b>Germ cell mutagenicity:</b>	Negative – no evidence for mutagenicity.	Method – OECD Test Guideline 471 (EU B.12 / 13).
<b>Carcinogenicity:</b>	No information available.	
<b>Reproductive toxicity:</b>	No information available.	
<b>STOT-single exposure:</b>	No information available.	
<b>STOT-repeated exposure:</b>	No information available.	
<b>Aspiration hazard:</b>	The classifications of substances in the mixture / product are detailed in Section 3 of this Safety Data Sheet. No substances in the mixture / product are classified as an aspiration hazard (H304).	



## SECTION 12: Ecological information

### 12.1 Toxicity

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<b>Propan-2-ol</b>		
<b>Aquatic acute (short-term) toxicity</b>		
<b>Aquatic acute (short-term) toxicity – fish:</b>	LC50: > 100 mg/l	Method – not available. Test species – <i>Pimephales promelas</i> . Exposure time – 48 hours.
<b>Aquatic acute (short-term) toxicity – crustacea:</b>	EC50: > 100 mg/l	Method – not available. Test species – <i>Daphnia magna Straus</i> . Exposure time – 48 hours.
<b>Aquatic acute (short-term) toxicity – algae:</b>	EC50: > 100 mg/l	Method – not available. Test species – <i>Scenedesmus quadricauda</i> . Exposure time – 72 hours.
<b>Aquatic acute (short-term) toxicity – marine species:</b>	No information available.	
<b>Toxicity to bacteria:</b>	EC50: > 1000 mg/l	Method – not available. Test species – Activated sludge. Exposure time – not available.
<b>Aquatic chronic (long-term) toxicity</b>		
<b>Aquatic chronic (long-term) toxicity – fish:</b>	No information available.	
<b>Aquatic chronic (long-term) toxicity – crustacea:</b>	No information available.	

### 12.2 Persistence and degradability

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<b>Propan-2-ol</b>			
<b>Ready biodegradability – aerobic conditions:</b>	DT50:	95% in 21 days – readily biodegradable.	Method – OECD Test Guideline 301 E.

### 12.3 Bioaccumulative potential

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

<b>Propan-2-ol</b>			
<b>Partition coefficient:</b>	n-octanol / water (Log <i>k</i> <sub>ow</sub> ):	0.05 – no bio-accumulation expected.	OECD Test Guideline 107.
<b>Bioconcentration Factor (BCF):</b>	No information available.		

#### 12.4 Mobility in soil

No information is available on the product / mixture.

The following substance data is provided for ingredients in the mixture / product:

Propan-2-ol	
Adsorption / Desorption to soil or sediment:	Potential for mobility in soil; soluble in water.

#### 12.5 Results of PBT and vPvB assessment

The mixture contains no components that are known to be Persistent, Bioaccumulative and Toxic (PBT), or very Persistent and very Bioaccumulative (vPvB).

#### 12.6 Other adverse effects

No other adverse effects known.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Waste from residues / unused product:** Dispose of contents according to national / location regulations. The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European waste catalogue:** 16 03 05\* - organic wastes containing dangerous substances.

**Empty packaging recommendation:** Dispose of container according to national / local regulations.

**Suitable cleaning agents:** Water, if necessary, with cleaning agent.

### SECTION 14: Transport Information

	ADR/RID:	IMDG:	ICAO/IATA:	ADN:
14.1 UN number:	1219	1219	1219	1219
14.2 UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL) (solution)	ISOPROPANOL (ISOPROPYL ALCOHOL) (solution)	ISOPROPANOL (ISOPROPYL ALCOHOL) (solution)	ISOPROPANOL (ISOPROPYL ALCOHOL) (solution)
14.3 Transport hazard class(es):	3	3	3	3
Label(s):	3	3	3	3
Classification code:	F1	-	-	-
Tunnel restriction code:	D/E	-	-	-
Hazard identification number:	33	-	-	-
EmS:	-	F-E, S-D	-	-
14.4 Packing group:	II	II	II	II
14.5 Environmental hazards				
Environmentally hazardous:	No			
Marine pollutant:	No			
14.6 Special precautions for user:	None known			
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:	Not applicable – the product is not transported in bulk containers.			

## SECTION 15: Regulatory information

This Safety Data Sheet is compiled in accordance with the requirements of Regulation (EC) No 1907/2006 (REACH), amended by Regulation (EU) 2015/830.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

-

### 15.2 Chemical safety assessment

Not available for this product / mixture.

## SECTION 16: Other information

*The information is given in good faith and is based upon current available data. The user must determine if the product is correct for any particular application; the information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This document is not a warranty or specification. This document does not constitute a guarantee for any specific product features and does not establish a legally binding contract.*

**Version: 4.0**

**Revision Date:** 2018/05/09

**Revision Note:** -

The following updates have been made in this revision of the Safety Data Sheet: overall formatting updated; Section 1 – updates to supplier's contact details; Section 2 – classification of mixture listed only in accordance with Regulation (EC) No. 1272/2008 (CLP), with updated precautionary statements; Section 3 – classification of ingredients in mixture listed only in accordance with Regulation (EC) No. 1272/2008 (CLP); Section 4 – minor updates to stated first aid measures; Section 6 – minor updates to stated accidental release measures; Section 8 – occupational exposure limits for ingredients in mixture updated, and minor revisions to exposure controls (including hygiene measures).

### Key literature references and sources for data

Safety Data Sheet (Ver 3), the ECHA classification and labelling Inventory, the Health and Safety Executive's (UK) EH40/2005 Workplace exposure limits, GESTIS Substance Database (Occupational Exposure Limits).

### Full text of the H and EUH phrases mentioned in section 3:

- H225 – Highly flammable liquid and vapour.
- H319 – Causes serious eye irritation.
- H336 – May cause drowsiness or dizziness.

### Abbreviations and acronyms:

- AISE – The international association for soaps, detergents and maintenance products.
- DNEL – Derived no effect level.
- PBT – Persistent, Bioaccumulative and Toxic.
- REACH number – REACH registration number, without supplier specific part.
- vPvB – very Persistent and very Bioaccumulative.
- TWA – Time weighted average.
- STEL – Short term exposure limit.
- STOT – specific target organ toxicity.
- ADR / RID – European Agreement concerning the International Carriage of Dangerous Goods by Road / Regulation concerning the International Carriage of Dangerous Goods by Rail.
- IMDG – International Maritime Dangerous Goods Code.
- ICAO / IATA – International Civil Aviation Organization / International Air Transport Association.
- ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
- MARPOL – International Convention for the Prevention of Pollution from Ships.

**End of Safety Data Sheet**